


L.E.D Moving Message Displays

The Moving Message display is a silent assistant in your business. It is useful in providing information & good in communicating visually.

MOVING MESSAGE DISPLAYS ARE IDEAL FOR:

* Paging * Daily menu News * Bulletins * Security alert School * Events * Sales promotion
Visitor greetings * Staff or Student training * Health & Safety messages * Point of purchase display * Meeting time & locations * Entertaining Jargon * Production reports * Advertising Bill board



FEATURES

- ☑ Various sizes and models are available
- ☑ The boards can be configured to scroll 3 lang. – English, Hindi & Tamil
- ☑ Different Eye-Catching effects
- ☑ Variable width of alphabets
- ☑ Programmable and pre-programmed graphics
- ☑ Clock Battery Back-up to store the memory in case of power failure
- ☑ Powder coated frame
- ☑ Uniform Glow-matrix and LED's

P.C. Programming application areas include:

- * Banks * Airports * Railway Station
- * Factories * Retail Outlets
- * Showrooms * Theatre & Shops
- * In plant * Offices * Hotels & Restaurant * Ice-Cream Parlors
- * Jewel shops etc.,

Welcome to fix-o-vision
moving message displays.

L.E.D Moving Message Displays

FULL FEATURE VERSION

SINGLE LINE HIGH DISPLAYS

Model	Display Area	Display Matrix	No of characters / Screen
FOS-102	2.3"X22.3"	7X64	8-12
FOS-103	2.3"X33.5"	7X96	12-19
FOS-104	2.3"X44.7"	7X128	16-25
FOS-105	2.3"X55.9"	7X160	20-32
FOS-106	2.3"X67.1"	7X196	24-39

DOUBLE LINE HIGH DISPLAYS

Model	Display Area	Display Matrix	No of characters / Screen
FOS-202	5.5"X22.3"	16X64	8-12
FOS-203	5.5"X33.5"	16X96	12-19
FOS-204	5.5"X44.7"	16X128	16-25
FOS-205	5.5"X55.9"	16X160	20-32
FOS-206	5.5"X67.1"	16X196	24-39

DOUBLE LINE HIGH LARGE DISPLAYS

Model	Display Area	Display Matrix	No of characters /screen
FOS - L - -202	11"X 44.3"	16X64	8-12
FOS - L - -203	11"X 66.7"	16X96	12-19
FOS - L - -204	11"X 89.1"	16X128	16-25
FOS - L - -205	11"X 111.5"	16X160	20-32
FOS - L - -206	11"X 133.9"	16X196	24-39

- All boards have PC101 Keyboard interface
- PC interface (RS232) at extra cost
- RS232 - RS485 converter – optional

L.E.D Moving Message Displays PROTOCOL DRIVEN VERSION

SINGLE LINE HIGH DISPLAYS

Model	Display Area	Display Matrix	No of characters / Screen
FAB – 103	2.1" X 27"	7 X 80	12
FAB – 104	2.1" X 41"	7 X 120	20

DOUBLE LINE HIGH DISPLAYS

Model	Display Area	Display Matrix	No of characters / Screen
FOS-203	5.5"X33.5"	16X96	12-19
FOS-204	5.5"X44.7"	16X128	16-25
FOS-205	5.5"X55.9"	16X160	20-32
FOS-206	5.5"X67.1"	16X196	24-39


FEATURES

- ☑ Boards can receive ASCII as a string to refresh on the display
- ☑ Unit ID can be fixed for each display
- ☑ RS485 or RS232 enabling
- ☑ English Language Display
- ☑ IP55 Casing – Optional
- ☑ Custom Built sizes are available
- ☑ Last message memory in case of power failure
- ☑ Powder coated frame
- ☑ Uniform Glow-matrix and LED's

SPECIAL FEATURES:

- ☑ User can send SMS to the unit directly - (optional)
- ☑ Wireless networking possible - (optional)

L.E.D Moving Message Displays



Multiple boards on a RS485 loop, controlled from a Single PC or individually from a PC Keyboard



Large Format Display for Long Distance Viewing



Variety of Sizes suited for both Long and Short Distance Viewing



Outdoor Display for Mounting on a Loco